

L Number	Hits	Search Text	DB	Time stamp
1	114	((command or instruction)near3 driven)with (stor\$4 or sav\$4)	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:23
3	8	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (volatile or ram or dram)	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:19
2	2	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (non\$volatile or eeprom or flash)	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:19
4	35	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:23
5	8	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)) and (non\$volatile or eeprom or flash)	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:23
6	19	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)) and (volatile or ram or dram)	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:19
7	7	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)) and (non\$volatile or eeprom or flash)) and (((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)) and (volatile or ram or dram))	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:19
8	3	((command or instruction)near3 driven)same (parameter near2 (stor\$4 or set\$4 or sav\$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/04 08:21
9	63	((command or instruction)near3 driven)with (stor\$4 or sav\$4)	EPO; JPO; DERWENT	2004/05/04 08:23
10	18	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)	EPO; JPO; DERWENT	2004/05/04 08:23
11	0	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)) and (non\$volatile or eeprom or flash)	EPO; JPO; DERWENT	2004/05/04 08:24
12	2	((command or instruction)near3 driven)with (stor\$4 or sav\$4)) same (output or printer or peripheral)) and (volatile or ram or dram)	EPO; JPO; DERWENT	2004/05/04 08:24

L Number	Hits	Search Text	DB	Time stamp
1	1	((parameter adj2 set\$4)near3 (command or instruction))with volatile	USPAT; US-PGPUB; IBM TDB	2004/05/03 11:51
2	14	((parameter adj2 set\$4)near3 (command or instruction))with (output or printer or peripheral)	USPAT; US-PGPUB; IBM TDB	2004/05/03 11:47
3	354	(parameter adj2 set\$4)near3 (output or printer or peripheral)	USPAT; US-PGPUB; IBM TDB	2004/05/03 11:51
4	11	((parameter adj2 set\$4)near3 (output or printer or peripheral)) and ((non\$volatile or eeprom)with (parameter or value))	USPAT; US-PGPUB; IBM TDB	2004/05/03 11:51
5	0	((parameter adj2 set\$4)near3 (command or instruction))with volatile	EPO; JPO; DERWENT	2004/05/03 11:51
6	251	(parameter adj2 set\$4)near3 (output or printer or peripheral)	EPO; JPO; DERWENT	2004/05/03 11:51
7	0	((parameter adj2 set\$4)near3 (output or printer or peripheral)) and ((non\$volatile or eeprom)with (parameter or value))	EPO; JPO; DERWENT	2004/05/03 11:58
8	3988	((non\$volatile or eeprom)with (parameter or value))	EPO; JPO; DERWENT	2004/05/03 11:58
9	2410	((non\$volatile or eeprom)near6 (parameter or value))	EPO; JPO; DERWENT	2004/05/03 11:58
10	12	((non\$volatile or eeprom)with (receiv\$4 adj2 (parameter or value)))	EPO; JPO; DERWENT	2004/05/03 12:00
11	84	((non\$volatile or eeprom)with (receiv\$4 adj2 (parameter or value)))	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:06
12	0	((non\$volatile or eeprom)with (receiv\$4 adj2 (parameter or value))) same host	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:01
13	12	((non\$volatile or eeprom)with (receiv\$4 adj2 (parameter or value))) and host	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:01
14	15	((non\$volatile or eeprom)with (receiv\$4 adj2 (parameter)))	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:02
15	9568	((parameter or value)adj5 ((processing or execut\$4)near3 command or instruction))	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:07
16	2647	(parameter or value)adj5 ((processing or execut\$4)near3 (command or instruction))	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:08
17	14	(parameter adj set\$4)adj5 ((processing or execut\$4)near3 (command or instruction))	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:13
18	17	(parameter adj5 (generat\$4 or result\$4)) adj5 ((processing or execut\$4)near3 (command or instruction))	USPAT; US-PGPUB; IBM TDB	2004/05/03 12:14